

Model	Size (mm)				Basic load ratings (N)		Fatigue limit load (N)	Limit speed (r/min)	Parameters of speed (r/min)	Weight
	d	D	B(or)T	Rmin	Cr	Cor	Cur	Ng	Nb	(kg)
NJ202ECP	15	35	11	0,6	12,5	10,2	1,22	22000	26000	0,049
NU202ECP	15	35	11	0,6	12,5	10,2	1,22	22000	26000	0,047
N203ECP	17	40	12	0,6	17,2	14,3	1,73	19000	22000	0,066
N303ECP	17	47	14	1	24,6	20,4	2,55	15000	20000	0,12
NJ203ECP	17	40	12	0,6	17,2	14,3	1,73	19000	22000	0,070
NJ2203ECP	17	40	16	0,6	23,8	21,6	2,65	19000	22000	0,095
NJ303ECP	17	47	14	1	24,6	20,4	2,55	15000	20000	0,12
NU203ECP	17	40	12	0,6	17,2	14,3	1,73	19000	22000	0,068
NU2203ECP	17	40	16	0,6	23,8	21,6	2,65	19000	22000	0,092
NU303ECP	17	47	14	1	24,6	20,4	2,55	15000	20000	0,12
NUP203ECP	17	40	12	0,6	17,2	14,3	1,73	19000	22000	0,073
NUP2203ECP	17	40	16	0,6	23,8	21,6	2,65	19000	22000	0,097
N204ECP	20	47	14	1	25,1	25,2	2,75	16000	19000	0,11
N304ECP	20	52	15	1,1	35,5	26	3,25	15000	18000	0,15
NJ204ECP	20	47	14	1	25,1	25,2	2,75	16000	19000	0,11
NJ2204ECP	20	47	18	1	29,7	27,5	3,45	16000	19000	0,14
NJ304ECP	20	52	15	1,1	35,5	26	3,25	15000	18000	0,17
NJ2304ECP	20	52	21	1,1	47,5	38	4,8	14000	18000	0,22
NU204ECP	20	47	14	1	25,1	25,2	2,75	16000	19000	0,11
NU2204ECP	20	47	18	1	29,7	27,5	3,45	16000	19000	0,14
NU304ECP	20	52	15	1,1	35,5	26	3,25	15000	18000	0,17
NU2304ECP	20	52	21	1,1	47,5	38	4,8	14000	18000	0,21
NUP204ECP	20	47	14	1	25,1	25,2	2,75	16000	19000	0,12
NUP304ECP	20	52	15	1,1	35,5	26	3,25	15000	18000	0,16
NUP2304ECP	20	52	21	1,1	47,5	38	4,8	14000	18000	0,22
N205ECP	25	52	15	1	28,6	27	3,35	14000	16000	0,13

N305ECP	25	62	17	1, 1	46, 5	36, 5	4, 55	12000	15000	0, 24
NJ205ECP	25	52	15	1	28, 6	27	3, 35	14000	16000	0, 15
NJ2205ECP	25	52	18	1	34, 1	34	4, 25	14000	16000	0, 18
NJ305ECP	25	62	17	1, 1	46, 5	36, 5	4, 55	12000	15000	0, 29
NJ2305ECP	25	62	24	1, 1	64	55	6, 95	12000	15000	0, 39
NU1005	25	47	12	0, 6	14, 2	13, 2	1, 4	18000	18000	0, 084
NU205ECP	25	52	15	1	28, 6	27	3, 35	14000	16000	0, 14
NU2205ECP	25	52	18	1	34, 1	34	4, 25	14000	16000	0, 17
NU305ECP	25	62	17	1, 1	46, 5	36, 5	4, 55	12000	15000	0, 28
NU2305ECP	25	62	24	1, 1	64	55	6, 95	12000	15000	0, 38
NUP205ECP	25	52	15	1	28, 6	27	3, 35	14000	16000	0, 14
NUP2205ECP	25	52	18	1	34, 1	34	4, 25	14000	16000	0, 17
NUP305ECP	25	62	17	1, 1	46, 5	36, 5	4, 55	12000	15000	0, 25
NUP2305ECP	25	62	24	1, 1	64	55	6, 95	12000	15000	0, 38
N206ECP	30	62	16	1	44	36, 5	4, 55	13000	14000	0, 20
N306ECP	30	72	19	1, 1	58, 5	48	6, 2	11000	12000	0, 36
NJ206ECP	30	62	16	1	44	36, 5	4, 55	13000	14000	0, 24
NJ2206ECP	30	62	20	1	55	49	6, 1	13000	14000	0, 27
NJ306ECP	30	72	19	1, 1	58, 5	48	6, 2	11000	12000	0, 41
NJ2306ECP	30	72	27	1, 1	83	75	9, 65	11000	12000	0, 54
NJ406	30	90	23	1, 5	60, 5	53	6, 8	9000	11000	0, 77
NU1006	30	55	13	1	17, 9	17, 3	1, 86	14000	15000	0, 12
NU206ECP	30	62	16	1	44	36, 5	4, 55	13000	14000	0, 23
NU2206ECP	30	62	20	1	55	49	6, 1	13000	14000	0, 26
NU306ECP	30	72	19	1, 1	58, 5	48	6, 2	11000	12000	0, 40
NU2306ECP	30	72	27	1, 1	83	75	9, 65	11000	12000	0, 53
NU406	30	90	23	1, 5	60, 5	53	6, 8	9000	11000	0, 75
NUP206ECP	30	62	16	1	44	36, 5	4, 55	13000	14000	0, 22
NUP2206ECP	30	62	20	1	55	49	6, 1	13000	14000	0, 27
NUP306ECP	30	72	19	1, 1	58, 5	48	6, 2	11000	12000	0, 38
NUP2306ECP	30	72	27	1, 1	83	75	9, 65	11000	12000	0, 55

N207ECP	35	72	17	1, 1	56	48	6, 1	11000	12000	0, 30
N307ECP	35	80	21	1, 5	75	63	8, 15	9500	11000	0, 48
NJ207ECP	35	72	17	1, 1	56	48	6, 1	11000	12000	0, 33
NJ2207ECP	35	72	23	1, 1	69, 5	63	8, 15	11000	12000	0, 41
NJ307ECP	35	80	21	1, 5	75	63	8, 15	9500	11000	0, 55
NJ2307ECP	35	80	31	1, 5	106	98	12, 7	9500	11000	0, 73
NJ407	35	100	25	1, 5	76, 5	69, 5	9	8000	9500	1, 05
NU1007ECP	35	62	14	1	35, 8	38	4, 55	12000	13000	0, 16
NU207ECP	35	72	17	1, 1	56	48	6, 1	11000	12000	0, 33
NU2207ECP	35	72	23	1, 1	69, 5	63	8, 15	11000	12000	0, 40
NU307ECP	35	80	21	1, 5	75	63	8, 15	9500	11000	0, 54
NU2307ECP	35	80	31	1, 5	106	98	12, 7	9500	11000	0, 72
NU407	35	100	25	1, 5	76, 5	69, 5	9	8000	9500	1, 00
NUP207ECP	35	72	17	1, 1	56	48	6, 1	11000	12000	0, 31
NUP2207ECP	35	72	23	1, 1	69, 5	63	8, 15	11000	12000	0, 42
NUP307ECP	35	80	21	1, 5	75	63	8, 15	9500	11000	0, 51
NUP2307ECP	35	80	31	1, 5	106	98	12, 7	9500	11000	0, 75
N208ECP	40	80	18	1, 1	62	53	6, 7	9500	11000	0, 37
N308ECP	40	90	23	1, 5	93	78	10, 2	8000	9500	0, 64
NJ208ECP	40	80	18	1, 1	62	53	6, 7	9500	11000	0, 43
NJ2208ECP	40	80	23	1, 1	81, 5	75	9, 65	9500	11000	0, 55
NJ308ECP	40	90	23	1, 5	93	78	10, 2	8000	9500	0, 75
NJ2308ECP	40	90	33	1, 5	129	120	15, 3	8000	9500	0, 96
NJ408	40	110	27	2	96, 8	90	11, 6	7000	8500	1, 35
NU1008ML	40	68	15	1	25, 1	26	3	11000	18000	0, 22
NU208ECP	40	80	18	1, 1	62	53	6, 7	9500	11000	0, 42
NU2208ECP	40	80	23	1, 1	81, 5	75	9, 65	9500	11000	0, 54
NU308ECP	40	90	23	1, 5	93	78	10, 2	8000	9500	0, 73
NU2308ECP	40	90	33	1, 5	129	120	15, 3	8000	9500	0, 94
NU408	40	110	27	2	96, 8	90	11, 6	7000	8500	1, 40
NUP208ECP	40	80	18	1, 1	62	53	6, 7	9500	11000	0, 40

NUP2208ECP	40	80	23	1, 1	81, 5	75	9, 65	9500	11000	0, 56
NUP308ECP	40	90	23	1, 5	93	78	10, 2	8000	9500	0, 68
NUP2308ECP	40	90	33	1, 5	129	120	15, 3	8000	9500	0, 98
N209ECP	45	85	19	1, 1	69, 5	64	8, 15	9000	9500	0, 43
N309ECP	45	100	25	1, 5	112	100	12, 9	7500	8500	0, 88
NJ209ECP	45	85	19	1, 1	69, 5	64	8, 15	9000	9500	0, 49
NJ2209ECP	45	85	23	1, 1	85	81, 5	10, 6	9000	9500	0, 54
NJ309ECP	45	100	25	1, 5	112	100	12, 9	7500	8500	1, 05
NJ2309ECP	45	100	36	1, 5	160	153	20	7500	8500	1, 35
NJ409	45	120	29	2	106	102	13, 4	6700	7500	1, 70
NU1009ECP	45	75	16	1	44, 6	52	6, 3	9500	11000	0, 26
NU209ECP	45	85	19	1, 1	69, 5	64	8, 15	9000	9500	0, 48
NU2209ECP	45	85	23	1, 1	85	81, 5	10, 6	9000	9500	0, 52
NU309ECP	45	100	25	1, 5	112	100	12, 9	7500	8500	1, 00
NU2309ECP	45	100	36	1, 5	160	153	20	7500	8500	1, 30
NU409	45	120	29	2	106	102	13, 4	6700	7500	1, 78
NUP209ECP	45	85	19	1, 1	69, 5	64	8, 15	9000	9500	0, 45
NUP2209ECP	45	85	23	1, 1	85	81, 5	10, 6	9000	9500	0, 55
NUP309ECP	45	100	25	1, 5	112	100	12, 9	7500	8500	0, 95
NUP2309ECP	45	100	36	1, 5	160	153	20	7500	8500	1, 35
N210ECP	50	90	20	1, 1	73, 5	69, 5	8, 8	8500	9000	0, 48
N310ECP	50	110	27	2	127	112	15	6700	8000	1, 15
NJ210ECP	50	90	20	1, 1	73, 5	69, 5	8, 8	8500	9000	0, 50
NJ2210ECP	50	90	23	1, 1	90	88	11, 4	8500	9000	0, 59
NJ310ECP	50	110	27	2	127	112	15	6700	8000	1, 15
NJ2310ECP	50	110	40	2	186	186	24, 5	6700	8000	1, 75
NJ410	50	130	31	2, 1	130	127	16, 6	6000	7000	2, 05
NU1010ECP	50	80	16	1	46, 8	56	6, 7	9000	9500	0, 27
NU210ECP	50	90	20	1, 1	73, 5	69, 5	8, 8	8500	9000	0, 49
NU2210ECP	50	90	23	1, 1	90	88	11, 4	8500	9000	0, 56
NU310ECP	50	110	27	2	127	112	15	6700	8000	1, 15

NU2310ECP	50	110	40	2	186	186	24,5	6700	8000	2,00
NU410	50	130	31	2,1	130	127	16,6	6000	7000	2,00
NUP210ECP	50	90	20	1,1	73,5	69,5	8,8	8500	9000	0,51
NUP2210ECP	50	90	23	1,1	90	88	11,4	8500	9000	0,59
NUP310ECP	50	110	27	2	127	112	15	6700	8000	1,20
NUP2310ECP	50	110	40	2	186	186	24,5	6700	8000	1,80
N211ECP	55	100	21	1,5	96,5	95	12,2	7500	8000	0,66
NJ1P311ECP	55	120	29	2	156	143	18,6	6000	7000	1,55
N311ECP	55	120	29	2	156	143	18,6	6000	7000	1,45
NJ211ECP	55	100	21	1,5	96,5	95	12,2	7500	8000	0,67
NJ2211ECP	55	100	25	1,5	114	118	15,3	7500	8000	0,81
NJ311ECP	55	120	29	2	156	143	18,6	6000	7000	1,50
NJ2311ECP	55	120	43	2	232	232	30,5	6000	7000	2,30
NJ411	55	140	33	2,1	142	140	18,6	5600	6300	2,55
NU1011ECP	55	90	18	1,1	57,2	69,5	8,3	8000	8500	0,40
NU211ECP	55	100	21	1,5	96,5	95	12,2	7500	8000	0,67
NU2211ECP	55	100	25	1,5	114	118	15,3	7500	8000	0,79
NU311ECP	55	120	29	2	156	143	18,6	6000	7000	1,45
NU2311ECP	55	120	43	2	232	232	30,5	6000	7000	2,25
NU411	55	140	33	2,1	142	140	18,6	5600	6300	2,50
NUP211ECP	55	100	21	1,5	96,5	95	12,2	7500	8000	0,69
NUP2211ECP	55	100	25	1,5	114	118	15,3	7500	8000	0,82
NUP2311ECP	55	120	43	2	232	232	30,5	6000	7000	2,35
N212ECP	60	110	22	1,5	108	102	13,4	6700	7500	0,81
N312ECP	60	130	31	2,1	173	160	20,8	5600	6700	1,80
NJ212ECP	60	110	22	1,5	108	102	13,4	6700	7500	0,83
NJ2212ECP	60	110	28	1,5	146	153	20	6700	7500	1,15
NJ312ECP	60	130	31	2,1	173	160	20,8	5600	6700	1,90
NJ2312ECP	60	130	46	2,1	260	265	34,5	5600	6700	2,80
NJ412	60	150	35	2,1	168	173	22	5000	6000	3,10
NU1012ML	60	95	18	1,1	37,4	44	5,3	8000	11000	0,48

NU212ECP	60	110	22	1, 5	108	102	13, 4	6700	7500	0, 81
NU2212ECP	60	110	28	1, 5	146	153	20	6700	7500	1, 10
NU312ECP	60	130	31	2, 1	173	160	20, 8	5600	6700	1, 80
NU2312ECP	60	130	46	2, 1	260	265	34, 5	5600	6700	2, 75
NU412	60	150	35	2, 1	168	173	22	5000	6000	3, 00
NUP212ECP	60	110	22	1, 5	108	102	13, 4	6700	7500	0, 86
NUP2212ECP	60	110	28	1, 5	146	153	20	6700	7500	1, 15
NUP312ECP	60	130	31	2, 1	173	160	20, 8	5600	6700	1, 95
NUP2312ECP	60	130	46	2, 1	260	265	34, 5	5600	6700	2, 85
N213ECP	65	120	23	1, 5	122	118	15, 6	6300	6700	1, 05
N313ECP	65	140	33	2, 1	212	196	25, 5	5300	6000	2, 25
NJ213ECP	65	120	23	1, 5	122	118	15, 6	6300	6700	1, 07
NJ2213ECP	65	120	31	1, 5	170	180	24	6300	6700	1, 45
NJ313ECP	65	140	33	2, 1	212	196	25, 5	5300	6000	2, 30
NJ2313ECP	65	140	48	2, 1	285	290	38	5300	6000	3, 35
NJ413	65	160	37	2, 1	183	190	24	4800	5600	3, 65
NU1013ECP	65	100	18	1, 1	62, 7	81, 5	9, 8	7000	7500	0, 45
NU213ECP	65	120	23	1, 5	122	118	15, 6	6300	6700	1, 05
NU2213ECP	65	120	31	1, 5	170	180	24	6300	6700	1, 40
NU313ECP	65	140	33	2, 1	212	196	25, 5	5300	6000	2, 28
NU2313ECP	65	140	48	2, 1	285	290	38	5300	6000	3, 30
NU413	65	160	37	2, 1	183	190	24	4800	5600	3, 60
NUP213ECP	65	120	23	1, 5	122	118	15, 6	6300	6700	1, 10
NUP2213ECP	65	120	31	1, 5	170	180	24	6300	6700	1, 50
NUP313ECP	65	140	33	2, 1	212	196	25, 5	5300	6000	2, 35
NUP2313ECP	65	140	48	2, 1	285	290	38	5300	6000	3, 45
N214ECP	70	125	24	1, 5	137	137	18	6000	6300	1, 15
N314ECP	70	150	35	2, 1	236	228	29	4800	5600	2, 75
NJ214ECP	70	125	24	1, 5	137	137	18	6000	6300	1, 15
NJ2214ECP	70	125	31	1, 5	180	193	25, 5	6000	6300	1, 55
NJ314ECP	70	150	35	2, 1	236	228	29	4800	5600	2, 80

NJ2314ECP	70	150	51	2, 1	315	325	41, 5	4800	5600	4, 05
NJ414	70	180	42	3	229	240	30	4300	5000	5, 35
NU1014ECP	70	110	20	1, 1	76, 5	93	12	6300	7000	0, 62
NU214ECP	70	125	24	1, 5	137	137	18	6000	6300	1, 15
NU2214ECP	70	125	31	1, 5	180	193	25, 5	6000	6300	1, 55
NU314ECP	70	150	35	2, 1	236	228	29	4800	5600	2, 75
NU2314ECP	70	150	51	2, 1	315	325	41, 5	4800	5600	4, 00
NU414	70	180	42	3	229	240	30	4300	5000	5, 25
NUP214ECP	70	125	24	1, 5	137	137	18	6000	6300	1, 20
NUP2214ECP	70	125	31	1, 5	180	193	25, 5	6000	6300	1, 55
NUP314ECP	70	150	35	2, 1	236	228	29	4800	5600	2, 85
NUP2314ECP	70	150	51	2, 1	315	325	41, 5	4800	5600	4, 15
N215ECP	75	130	25	1, 5	150	156	20, 4	5600	6000	1, 25
N315ECP	75	160	37	2, 1	280	265	33, 5	4500	5300	3, 30
NJ215ECP	75	130	25	1, 5	150	156	20, 4	5600	6000	1, 30
NJ2215ECP	75	130	31	1, 5	186	208	27	5600	6000	1, 60
NJ315ECP	75	160	37	2, 1	280	265	33, 5	4500	5300	3, 35
NJ2315ECP	75	160	55	2, 1	380	400	50	4500	5300	5, 00
NJ415	75	190	45	3	264	280	34	4000	4800	6, 90
NU1015ML	75	115	20	1, 1	58, 3	71	8, 5	6700	10000	0, 74
NU215ECP	75	130	25	1, 5	150	156	20, 4	5600	6000	1, 25
NU2215ECP	75	130	31	1, 5	186	208	27	5600	6000	1, 60
NU315ECP	75	160	37	2, 1	280	265	33, 5	4500	5300	3, 30
NU2315ECP	75	160	55	2, 1	380	400	50	4500	5300	4, 90
NU415	75	190	45	3	264	280	34	4000	4800	6, 75
NUP215ECP	75	130	25	1, 5	150	156	20, 4	5600	6000	1, 30
NUP2215ECP	75	130	31	1, 5	186	208	27	5600	6000	1, 65
NUP315ECP	75	160	37	2, 1	280	265	33, 5	4500	5300	3, 45
NUP2315ECP	75	160	55	2, 1	380	400	50	4500	5300	5, 10
N216ECP	80	140	26	2	160	166	21, 2	5300	5600	1, 50
N316ECP	80	170	39	2, 1	300	290	36	4300	5000	3, 90

NJ1016ECML	80	125	22	1, 1	99	127	16, 3	5600	9500	1, 10
NJ216ECP	80	140	26	2	160	166	21, 2	5300	5600	1, 60
NJ2216ECP	80	140	33	2	212	245	31	5300	5600	2, 05
NJ316ECP	80	170	39	2, 1	300	290	36	4300	5000	4, 00
NJ2316ECP	80	170	58	2, 1	415	440	55	4300	5000	6, 00
NJ416	80	200	48	3	303	320	39	3800	4500	8, 05
NU1016	80	125	22	1, 1	66	81, 5	10, 4	6300	6300	1, 00
NU216ECP	80	140	26	2	160	166	21, 2	5300	5600	1, 50
NU2216ECP	80	140	33	2	212	245	31	5300	5600	2, 00
NU316ECP	80	170	39	2, 1	300	290	36	4300	5000	3, 95
NU2316ECP	80	170	58	2, 1	415	440	55	4300	5000	5, 95
NU416	80	200	48	3	303	320	39	3800	4500	7, 30
NUP216ECP	80	140	26	2	160	166	21, 2	5300	5600	1, 65
NUP2216ECP	80	140	33	2	212	245	31	5300	5600	2, 10
NUP316ECP	80	170	39	2, 1	300	290	36	4300	5000	4, 10
NUP2316ECP	80	170	58	2, 1	415	440	55	4300	5000	6, 00
N217ECP	85	150	28	2	190	200	24, 5	4800	5300	1, 90
N317ECP	85	180	41	3	340	335	41, 5	4000	4800	4, 70
NJ217ECP	85	150	28	2	190	200	24, 5	4800	5300	1, 95
NJ2217ECP	85	150	36	2	250	280	34, 5	4800	5300	2, 55
NJ317ECP	85	180	41	3	340	335	41, 5	4000	4800	4, 80
NJ2317ECP	85	180	60	3	455	490	60	4000	4800	7, 00
NJ417	85	210	52	4	319	335	39	3800	4300	8, 90
NU1017ML	85	130	22	1, 1	68, 2	86, 5	10, 8	6000	9000	1, 05
NU217ECP	85	150	28	2	190	200	24, 5	4800	5300	1, 90
NU2217ECP	85	150	36	2	250	280	34, 5	4800	5300	2, 45
NU317ECP	85	180	41	3	340	335	41, 5	4000	4800	4, 70
NU2317ECP	85	180	60	3	455	490	60	4000	4800	6, 85
NU417	85	210	52	4	319	335	39	3600	4300	9, 70
NUP217ECP	85	150	28	2	190	200	24, 5	4800	5300	2, 00
NUP2217ECP	85	150	36	2	250	280	34, 5	4800	5300	2, 65

NUP317ECP	85	180	41	3	340	335	41, 5	4000	4800	4, 90
NUP2317ECP	85	180	60	3	455	490	60	4000	4800	7, 00
N218ECP	90	160	30	2	208	220	27	4500	5000	2, 35
N318ECP	90	190	43	3	365	360	43	3800	4500	5, 40
NJ218ECP	90	160	30	2	208	220	27	4500	5000	2, 40
NJ2218ECP	90	160	40	2	280	315	39	4500	5000	3, 20
NJ318ECP	90	190	43	3	365	360	43	3800	4500	5, 55
NJ2318ECP	90	190	64	3	500	540	65, 5	3800	4500	8, 15
NU1018ML	90	140	24	1, 5	80, 9	104	12, 7	5600	8500	1, 35
NU218ECP	90	160	30	2	208	220	27	4500	5000	2, 35
NU2218ECP	90	160	40	2	280	315	39	4500	5000	3, 15
NU318ECP	90	190	43	3	365	360	43	3800	4500	5, 45
NU2318ECP	90	190	64	3	500	540	65, 5	3800	4500	8, 00
NU418	90	225	54	4	380	415	48	3400	4000	11, 5
NUP218ECP	90	160	30	2	208	220	27	4500	5000	2, 45
NUP2218ECP	90	160	40	2	280	315	39	4500	5000	3, 30
NUP318ECP	90	190	43	3	365	360	43	3800	4500	5, 65
NUP2318ECP	90	190	64	3	500	540	65, 5	3800	4500	8, 30
N219ECP	95	170	32	2, 1	255	265	32, 5	4300	4800	2, 85
N319ECP	95	200	45	3	390	390	46, 5	3600	4300	6, 25
NJ219ECP	95	170	32	2, 1	255	265	32, 5	4300	4800	2, 90
NJ2219ECP	95	170	43	2, 1	325	375	45, 5	4300	4800	3, 95
NJ319ECP	95	200	45	3	390	390	46, 5	3600	4300	6, 45
NJ2319ECP	95	200	67	3	530	585	69, 5	3600	4300	9, 85
NU1019ML	95	145	24	1, 5	84, 2	110	13, 2	5300	8000	1, 40
NU219ECP	95	170	32	2, 1	255	265	32, 5	4300	4800	2, 85
NU2219ECP	95	170	43	2, 1	325	375	45, 5	4300	4800	3, 85
NU319ECP	95	200	45	3	390	390	46, 5	3600	4300	6, 25
NU2319ECP	95	200	67	3	530	585	69, 5	3600	4300	9, 65
NU419M	95	240	55	4	413	455	52	3200	3600	13, 5
NUP219ECP	95	170	32	2, 1	255	265	32, 5	4300	4800	3, 00

NUP2219ECP	95	170	43	2, 1	325	375	45, 5	4300	4800	4, 00
NUP319ECP	95	200	45	3	390	390	46, 5	3600	4300	6, 25
NUP2319ECP	95	200	67	3	530	585	69, 5	3600	4300	9, 75
N220ECP	100	180	34	2, 1	285	305	36, 5	4000	4500	3, 45
N320ECP	100	215	47	3	450	440	51	3200	3800	7, 55
NJ220ECP	100	180	34	2, 1	285	305	36, 5	4000	4500	3, 50
NJ2220ECP	100	180	46	2, 1	380	450	54	4000	4500	4, 80
NJ320ECP	100	215	47	3	450	440	51	3200	3800	7, 65
NJ2320ECP	100	215	73	3	670	735	85	3200	3800	12, 2
NU1020ML	100	150	24	1, 5	85, 8	114	13, 7	5000	7500	1, 45
NU220ECP	100	180	34	2, 1	285	305	36, 5	4000	4500	3, 45
NU2220ECP	100	180	46	2, 1	380	450	54	4000	4500	4, 75
NU320ECP	100	215	47	3	450	440	51	3200	3800	7, 85
NU2320ECP	100	215	73	3	670	735	85	3200	3800	12, 0
NU420M	100	250	58	4	429	475	53	3000	3600	14, 0
NUP220ECP	100	180	34	2, 1	285	305	36, 5	4000	4500	3, 60
NUP2220ECP	100	180	46	2, 1	380	450	54	4000	4500	4, 90
NUP320ECJ	100	215	47	3	450	440	51	3200	3800	7, 80
NUP2320ECP	100	215	73	3	670	735	85	3200	3800	12, 5
N221ECP	105	190	36	2, 1	300	315	36, 5	3800	4300	3, 95
N321ECP	105	225	49	3	500	500	57	3200	3800	8, 65
NJ221ECP	105	190	36	2, 1	300	315	36, 5	3800	4300	4, 10
NJ321ECJ	105	225	49	3	500	500	57	3200	3800	9, 00
NU1021ML	105	160	26	2	101	137	16	4800	7500	1, 85
NU221ECP	105	190	36	2, 1	300	315	36, 5	3800	4300	4, 00
NU321ECP	105	225	49	3	500	500	57	3200	3800	8, 75
NU421M	105	260	60	4	501	570	64	2800	3400	19, 0
NUP221ECP	105	190	36	2, 1	300	315	36, 5	3800	4300	4, 20
N222ECP	110	200	38	2, 1	335	365	42, 5	3600	4000	4, 80
N322ECP	110	240	50	3	530	540	61	3000	3400	10, 5
NJ222ECP	110	200	38	2, 1	335	365	42, 5	3600	4000	4, 90

NJ2222ECP	110	200	53	2, 1	440	520	61	3600	4000	6, 85
NJ322ECP	110	240	50	3	530	540	61	3000	3400	11, 1
NJ2322ECP	110	240	80	3	780	900	102	3000	3400	18, 9
NJ422	110	280	65	4	532	585	64	2600	3200	20, 3
NU1022ML	110	170	28	2	128	166	19, 3	4500	7000	2, 30
NU222ECP	110	200	38	2, 1	335	365	42, 5	3600	4000	4, 80
NU2222ECP	110	200	53	2, 1	440	520	61	3600	4000	6, 70
NU322ECP	110	240	50	3	530	540	61	3000	3400	10, 8
NU2322ECP	110	240	80	3	780	900	102	3000	3400	17, 0
NU422	110	280	65	4	532	585	64	2600	3200	20, 0
NUP222ECP	110	200	38	2, 1	335	365	42, 5	3600	4000	5, 00
NUP2222ECP	110	200	53	2, 1	440	520	61	3600	4000	7, 00
NUP322ECP	110	240	50	3	530	540	61	3000	3400	11, 2
NUP2322ECP	110	240	80	3	780	900	102	3000	3400	18, 9
N224ECP	120	215	40	2, 1	390	430	49	3400	3600	5, 75
N324ECP	120	260	55	3	610	620	69, 5	2800	3200	13, 2
NJ224ECP	120	215	40	2, 1	390	430	49	3400	3600	5, 85
NJ2224ECP	120	215	58	2, 1	520	630	72	3400	3600	8, 50
NJ324ECP	120	260	55	3	610	620	69, 5	2800	3200	13, 5
NJ2324ECMA	120	260	86	3	915	1040	116	2800	4300	24, 3
NU1024ML	120	180	28	2	134	183	20, 8	4000	6300	2, 45
NU224ECP	120	215	40	2, 1	390	430	49	3400	3600	5, 75
NU2224ECP	120	215	58	2, 1	520	630	72	3400	3600	8, 30
NU324ECP	120	260	55	3	610	620	69, 5	2800	3200	13, 3
NU2324ECMA	120	260	86	3	915	1040	116	2800	4300	24, 0
NU424	120	310	72	5	644	735	78	2400	2800	28, 0
NUP224EC,I	120	215	40	2, 1	390	430	49	3400	3600	6, 00
NUP2224ECP	120	215	58	2, 1	520	630	72	3400	3600	9, 00
NUP324ECP	120	260	55	3	610	620	69, 5	2800	3200	13, 7
NUP2324ECMA	120	260	86	3	915	1040	116	2800	4300	24, 3
N226ECP	130	230	40	3	415	455	51	3200	3400	6, 30

N326ECP	130	280	58	4	720	750	81, 5	2400	3000	18, 5
NJ226ECP	130	230	40	3	415	455	51	3200	3400	6, 60
NJ2226ECP	130	230	64	3	610	735	83	3200	3400	12, 2
NJ326ECP	130	280	58	4	720	750	81, 5	2400	3000	18, 4
NJ2326ECMA	130	280	93	4	1060	1250	137	2400	3000	30, 5
NU1026ML	130	200	33	2	165	224	25	3800	5600	3, 80
NU226ECP	130	230	40	3	415	455	51	3200	3400	6, 45
NU2226ECP	130	230	64	3	610	735	83	3200	3400	10, 5
NU326ECP	130	280	58	4	720	750	81, 5	2400	3000	16, 5
NU2326ECMA	130	280	93	4	1060	1250	137	2400	3000	30, 0
NUP226ECP	130	230	40	3	415	455	51	3200	3400	6, 75
NUP2226ECP	130	230	64	3	610	735	83	3200	3400	12, 2
NUP326ECP	130	280	58	4	720	750	81, 5	2400	3000	19, 6
NUP2326ECMA	130	280	93	4	1060	1250	137	2400	3000	31, 0
NJ228ECM	140	250	42	3	450	510	57	2800	3200	8, 75
NJ2228ECML	140	250	68	3	655	830	93	2800	4800	15, 3
NJ328ECM	140	300	62	4	780	830	88	2400	2800	23, 0
NJ2328ECMA	140	300	102	4	1200	1430	150	2400	3600	37, 5
NU1028ML	140	210	33	2	172	245	27	3600	5300	4, 05
NU228ECM	140	250	42	3	450	510	57	2800	3200	8, 50
NU2228ECML	140	250	68	3	655	830	93	2800	4800	15, 0
NU328ECM	140	300	62	4	780	830	88	2400	2800	22, 7
NU2328ECMA	140	300	102	4	1200	1430	150	2400	3600	37, 0
NUP228ECM	140	250	42	3	450	510	57	2800	3200	8, 90
NUP2228ECML	140	250	68	3	655	830	93	2800	4800	15, 6
NUP328ECM	140	300	62	4	780	830	88	2400	2800	23, 5
NUP2328ECMA	140	300	102	4	1200	1430	150	2400	3600	38, 0
NJ230ECM	150	270	45	3	510	600	64	2600	2800	12, 0
NJ2230ECM	150	270	73	3	735	930	100	2600	2800	20, 3
NJ330ECM	150	320	65	4	900	965	100	2200	2600	28, 0
NJ2330ECMA	150	320	108	4	1370	1630	166	2200	3400	46, 0

NU1030ML	150	225	35	2, 1	194	275	30	3200	5000	4, 85
NU230ECM	150	270	45	3	510	600	64	2600	2800	11, 8
NU2230ECM	150	270	73	3	735	930	100	2600	2800	20, 0
NU330ECM	150	320	65	4	900	965	100	2200	2600	27, 5
NU2330ECMA	150	320	108	4	1370	1630	166	2200	3400	45, 5
NUP230ECM	150	270	45	3	510	600	64	2600	2800	12, 2
NUP2330ECMA	150	320	108	4	1370	1630	166	2200	3400	46, 5
N232ECM	160	290	48	3	585	680	72	2400	2600	15, 5
NJ232ECM	160	290	48	3	585	680	72	2400	2600	15, 0
NJ2232ECMA	160	290	80	3	930	1200	129	2400	3600	24, 5
NJ332ECM	160	340	68	4	1000	1080	112	2000	2400	33, 5
NJ2332ECMA	160	340	114	4	1250	1730	173	1800	2800	53, 5
NU1032ML	160	240	38	2, 1	229	325	35, 5	3000	4800	5, 95
NU232ECM	160	290	48	3	585	680	72	2400	2600	14, 5
NU2232ECMA	160	290	80	3	930	1200	129	2400	3600	24, 0
NU332ECM	160	340	68	4	1000	1080	112	2000	2400	33, 0
NU2332ECMA	160	340	114	4	1250	1730	173	1800	2800	53, 0
NUP232ECM	160	290	48	3	585	680	72	2400	2600	15, 5
N334ECM	170	360	72	4	952	1180	116	1700	2200	38, 5
NJ234ECM	170	310	52	4	695	815	85	2200	2400	19, 5
NJ2334ECMA	170	360	120	4	1450	2040	204	1700	3000	63, 0
NU1034ML	170	260	42	2, 1	275	400	41, 5	2800	4300	8, 15
NU234ECM	170	310	52	4	695	815	85	2200	2400	19, 0
NU2234ECMA	170	310	86	4	1060	1340	140	2200	3200	30, 0
NU334ECM	170	360	72	4	952	1180	116	1700	2200	37, 5
NU2334ECMA	170	360	120	4	1450	2040	204	1700	3000	62, 0
NUP234ECM	170	310	52	4	695	815	85	2200	2400	20, 0
NJ236ECMA	180	320	52	4	720	850	88	2200	3200	20, 2
NJ2236ECMA	180	320	86	4	1100	1430	146	2200	3200	32, 0
NU1036ML	180	280	46	2, 1	336	475	51	2600	4000	10, 5
NU236ECMA	180	320	52	4	720	850	88	2200	3200	19, 5

NU2236ECMA	180	320	86	4	1100	1430	146	2200	3200	31,5
NU336ECM	180	380	75	4	1020	1290	125	1600	2200	44,0
NU2336ECMA	180	380	126	4	1610	2240	216	1600	2800	71,5
NUP236ECMA	180	320	52	4	720	850	88	2200	3200	21,0
NJ238ECMA	190	340	55	4	800	965	98	2000	3000	24,5
NU1038ML	190	290	46	2,1	347	500	53	2600	3800	11,0
NU238ECMA	190	340	55	4	800	965	98	2000	3000	24,0
NU2238ECMA	190	340	92	4	1220	1600	160	2000	3000	39,0
NU338ECM	190	400	78	5	1140	1500	143	1500	2000	50,0
NU2338ECMA	190	400	132	5	1830	2550	236	1500	2600	82,5
NUP238ECMA	190	340	55	4	800	965	98	2000	3000	25,0
NJ240ECMA	200	360	58	4	850	1020	100	1900	2800	29,0
NJ2340ECMA	200	420	138	5	1980	2800	255	1400	2400	98,0
NU1040MA	200	310	51	2,1	380	570	58,5	2400	3000	14,5
NU240ECMA	200	360	58	4	850	1020	100	1900	2800	28,5
NU2240ECMA	200	360	98	4	1370	1800	180	1900	2800	46,0
NU340ECMA	200	420	80	5	1230	1630	150	1400	2400	56,0
NU2340ECMA	200	420	138	5	1980	2800	255	1400	2400	97,0
NUP240ECMA	200	360	58	4	850	1020	100	1900	2800	29,5
NJ244ECMA	220	400	65	4	1060	1290	125	1600	2400	39,0
NJ344M	220	460	88	5	1210	1630	150	1500	1700	73,5
NU1044MA	220	340	56	3	495	735	73,5	2200	2800	19,0
NU244ECMA	220	400	65	4	1060	1290	125	1600	2400	38,5
NU2244ECMA	220	400	108	4	1570	2280	212	1600	2400	62,5
NU344M	220	460	88	5	1210	1630	150	1500	1700	72,5
NU2344ECMA	220	460	145	5	2380	3450	310	1300	2200	120
NUP244ECMA	220	400	65	4	1060	1290	125	1600	2400	39,5
NJ248MA	240	440	72	4	952	1370	129	1600	2200	52,5
NJ2248MA	240	440	120	4	1450	2360	216	1500	2200	85,0
NJ348MA	240	500	95	5	1450	2000	180	1300	2000	98,5
NU1048MA	240	360	56	3	523	800	78	2000	2600	20,0

NU248MA	240	440	72	4	952	1370	129	1600	2200	51,5
NU2248MA	240	440	120	4	1450	2360	216	1500	2200	84,0
NU348M	240	500	95	5	1450	2000	180	1300	1600	94,5
NU2348ECMA	240	500	155	5	2600	3650	320	1200	2000	155
NUP248MA	240	440	72	4	952	1370	129	1600	2200	53,5
NJ252MA	260	480	80	5	1170	1700	156	1400	2000	70,0
NJ2252MA	260	480	130	5	1790	3000	265	1300	2000	112
NU1052MA	260	400	65	4	627	965	96,5	1800	2400	29,5
NU252MA	260	480	80	5	1170	1700	156	1400	2000	68,5
NU2252MA	260	480	130	5	1790	3000	265	1300	2000	110
NU352ECMA	260	540	102	6	1940	2700	236	1100	1800	125
NUP252MA	260	480	80	5	1170	1700	156	1400	2000	72,0
NJ256MA	280	500	80	5	1140	1700	153	1400	1900	73,0
NU1056MA	280	420	65	4	660	1060	102	1700	2200	32,5
NU256MA	280	500	80	5	1140	1700	153	1400	1900	71,5
NU2256ECMA	280	500	130	5	2200	3250	285	1200	1900	115
NU2356MA	280	580	175	6	2700	4300	365	1000	1700	230
NJ1060MA	300	460	74	4	858	1370	129	1500	2000	47,0
NU1060MA	300	460	74	4	858	1370	129	1500	2000	46,5
NU260MA	300	540	85	5	1420	2120	183	1300	1800	89,5
NU2260MA	300	540	140	5	2090	3450	300	1200	1800	145
NJ1064MA	320	480	74	4	880	1430	132	1400	1900	49,0
NU1064MA	320	480	74	4	880	1430	132	1400	1900	48,5
NU264MA	320	580	92	5	1610	2450	204	1200	1600	115
NU2264ECMA	320	580	150	5	3190	5000	415	1000	1600	180
NJ1068MA	340	520	82	5	1080	1760	156	1300	1700	68,0
NU1068MA	340	520	82	5	1080	1760	156	1300	1700	65,0
NU2268MA	340	620	165	6	2640	4500	365	1000	1500	220
NU1072MA	360	540	82	5	1100	1830	163	13000	1600	67,5
NU2272MA	360	650	170	6	2920	4900	400	950	1400	250
NJ1076MA	380	560	82	5	1140	1930	170	1200	1600	73,0

NU1076MA	380	560	82	5	1140	1930	170	1200	1600	71,0
NU2276ECMA	380	680	175	6	3140	5500	440	900	1600	275
NU1080MA	400	600	90	5	1380	2320	204	1100	1500	92,5
NU1084MA	420	620	90	5	1420	2450	212	1100	1400	96,0
NU1088MA	440	650	94	6	1510	2650	212	1000	1300	105
NU1092MA	460	680	100	6	1650	2850	224	950	1200	115
NU1292MA	460	830	165	7,5	4180	6800	510	750	1100	415
NU2292MA	460	830	212	7,5	5120	8650	655	700	1100	530
NU1096MA	480	700	100	6	1680	3000	232	900	1200	130
NU10/500MA	500	720	100	6	1720	3100	236	900	1100	135
NU12/500MA	500	920	185	7,5	5280	8500	620	670	950	585
NU10/530MA	530	780	112	6	2290	4050	305	800	1000	190
NU20/530ECMA	530	780	145	6	3740	7350	550	670	1000	255
NU10/560MA	560	820	115	6	2330	4250	310	750	1000	210
NU20/560ECMA	560	820	150	6	3800	7650	560	630	1000	290
NU12/560MA	560	1030	206	6	7210	11200	780	560	800	805
NU10/600N2MA	600	870	118	6	2750	5100	365	700	900	245
NU20/600ECMA	600	870	155	6	4180	8000	570	600	900	325
NU2/600ECMA/HB1	600	1090	155	9,5	5610	9800	670	480	850	710
NU10/630ECN2MA	630	920	128	7,5	3410	6200	430	630	1000	285
NU20/630ECMA	630	920	170	7,5	4730	9500	670	560	850	400
NU12/630ECMA	630	1150	230	12	8580	13700	915	450	700	1100
NU10/670ECMA	670	980	136	7,5	3740	6800	465	530	800	350
NU20/670ECMA	670	980	180	7,5	5390	11000	750	500	800	480
NU10/710ECN2MA	710	1030	140	7,5	4680	8500	570	500	750	415
NU20/710ECMA	710	1030	185	7,5	5940	12000	815	480	700	540
NU10/750ECN2MA	750	1090	150	7,5	4730	8800	585	430	670	490
NU20/750ECMA	750	1090	195	7,5	7040	14600	980	430	670	635
NU20/800ECMA	800	1150	200	7,5	7040	14600	950	400	630	715