

Model	Size (mm)				Basic load ratings (N)		Fatigue limit load (N)	Limit speed (r/min)	Parameters of speed (r/min)	Weight
	d	D	B(or)T	Rmin	Cr	Cor	Cur	Ng	Nb	(kg)
SL185008	40	68	38	1	112000	132000	22400	6000	4200	0.56
SL185009	45	75	40	1	119000	147000	24900	5500	3950	0.71
SL185010	50	80	40	1	150000	187000	30000	5100	3450	0.76
SL185011	55	90	46	1.1	205000	274000	45000	4400	2900	1.16
SL014912	60	85	25	1	69000	120000	17300	4500	2650	0.49
SL024912	60	85	25	1	69000	120000	17300	4500	2650	0.47
SL185012	60	95	46	1.1	211000	284000	47500	4200	2800	1.24
SL185013	65	100	46	1.1	222000	314000	52000	3900	2500	1.32
SL014914	70	100	30	1	105000	184000	27000	3800	2330	0.78
SL024914	70	100	30	1	105000	184000	27000	3800	2330	0.75
SL185014	70	110	54	1.1	264000	349000	59000	3650	2650	1.85
SL185015	75	115	54	1.1	274000	384000	65000	3400	2370	1.93
SL014916	80	110	30	1	111000	205000	30000	3450	2090	0.88
SL024916	80	110	30	1	111000	205000	30000	3450	2090	0.85
SL185016	80	125	60	1.1	289000	439000	62000	3150	2320	2.59
SL185017	85	130	60	1.1	299000	464000	64000	3000	2210	2.72
SL014918	90	125	35	1.1	152000	289000	39000	3000	1870	1.35
SL024918	90	125	35	1.1	152000	289000	39000	3000	1870	1.3
SL185018	90	140	67	1.5	349000	549000	76000	2800	2140	3.62
SL014920	100	140	40	1.1	190000	369000	47500	2700	1720	1.95
SL024920	100	140	40	1.1	190000	369000	47500	2700	1720	1.9
SL185020	100	150	67	1.5	369000	599000	81000	2600	1930	3.94
SL014922	110	150	40	1.1	197000	399000	50000	2500	1600	2.15
SL024922	110	150	40	1.1	197000	399000	50000	2500	1600	2.1
SL185022	110	170	80	2	484000	769000	104000	2350	1730	6.32
SL014924	120	165	45	1.1	221000	439000	55000	2260	1540	2.95
SL024924	120	165	45	1.1	221000	439000	55000	2260	1540	2.85
SL185024	120	180	80	2	509000	849000	111000	2170	1530	6.77

SL014926	130	180	50	1.5	259000	509000	63000	2100	1500	3.95
SL024926	130	180	50	1.5	259000	509000	63000	2100	1500	3.8
SL185026	130	200	95	2	729000	1209000	158000	2000	1340	10.2
SL014928	140	190	50	1.5	269000	549000	66000	1960	1370	4.2
SL024928	140	190	50	1.5	269000	549000	66000	1960	1370	4.1
SL185028	140	210	95	2	769000	1329000	169000	1840	1180	11.1
SL014830	150	190	40	1.1	230000	529000	62000	1910	1270	2.9
SL024830	150	190	40	1.1	230000	529000	62000	1910	1270	2.8
SL014930	150	210	60	2	409000	819000	98000	1810	1200	6.65
SL024930	150	210	60	2	409000	819000	98000	1810	1200	6.45
SL185030	150	225	100	2	809000	1389000	175000	1760	1150	13.3
SL014832	160	200	40	1.1	236000	559000	64000	1820	1200	3.1
SL024832	160	200	40	1.1	236000	559000	64000	1820	1200	3
SL014932	160	220	60	2	424000	879000	104000	1690	1080	7
SL024932	160	220	60	2	424000	879000	104000	1690	1080	6.8
SL185032	160	240	109	2.1	929000	1609000	199000	1620	1030	12.2
SL014834	170	215	45	1.1	259000	599000	68000	1690	1180	4.1
SL024834	170	215	45	1.1	259000	599000	68000	1690	1180	3.95
SL014934	170	230	60	2	434000	929000	108000	1610	1010	7.35
SL024934	170	230	60	2	434000	929000	108000	1610	1010	7.1
SL185034	170	260	122	2.1	1199000	2109000	260000	1510	900	22.5
SL014836	180	225	45	1.1	269000	639000	72000	1590	1070	4.3
SL024836	180	225	45	1.1	269000	639000	72000	1590	1070	4.15
SL014936	180	250	69	2	569000	1199000	140000	1510	920	10.8
SL024936	180	250	69	2	569000	1199000	140000	1510	920	10.5
SL185036	180	280	136	2.1	1389000	2479000	300000	1410	820	29.9
SL014838	190	240	50	1.5	309000	729000	81000	1510	1030	5.65
SL024838	190	240	50	1.5	309000	729000	81000	1510	1030	5.45
SL014938	190	260	69	2	579000	1269000	145000	1440	860	11.2
SL024938	190	260	69	2	579000	1269000	145000	1440	860	10.9
SL185038	190	290	136	2.1	1429000	2599000	310000	1350	770	31.3
SL014840	200	250	50	1.5	319000	769000	84000	1440	960	5.9
SL024840	200	250	50	1.5	319000	769000	84000	1440	960	5.7

SL014940	200	280	80	2.1	679000	1439000	165000	1340	820	15.8
SL024940	200	280	80	2.1	679000	1439000	165000	1340	820	15.3
SL185040	200	310	150	2.1	1629000	2999000	355000	1270	710	40.4
SL014844	220	270	50	1.5	334000	839000	90000	1320	850	6.4
SL024844	220	270	50	1.5	334000	839000	90000	1320	850	6.2
SL014944	220	300	80	2.1	699000	1549000	174000	1250	750	17.2
SL024944	220	300	80	2.1	699000	1549000	174000	1250	750	16.7
SL185044	220	340	160	3	1979000	3649000	420000	1170	630	51.6
SL014848	240	300	60	2	509000	1259000	135000	1210	730	10
SL024848	240	300	60	2	509000	1259000	135000	1210	730	9.9
SL014948	240	320	80	2.1	739000	1699000	186000	1150	660	18.5
SL024948	240	320	80	2.1	739000	1699000	186000	1150	660	17.9
SL185048	240	360	160	3	2079000	3999000	445000	1080	550	55.2
SL014852	260	320	60	2	539000	1369000	143000	1120	650	11
SL024852	260	320	60	2	539000	1369000	143000	1120	650	10.6
SL014952	260	360	100	2.1	1099000	2469000	270000	1050	570	32
SL024952	260	360	100	2.1	1099000	2469000	270000	1050	570	31.2
SL185052	260	400	190	4	2749000	4999000	560000	980	490	82.6
SL014856	280	350	69	2	699000	1819000	189000	1020	570	16
SL024856	280	350	69	2	699000	1819000	189000	1020	570	15.6
SL014956	280	380	100	2.1	1149000	2649000	285000	980	520	34
SL024956	280	380	100	2.1	1149000	2649000	285000	980	520	33.1
SL185056	280	420	190	4	2849000	5299000	580000	940	460	88
SL014860	300	380	80	2.1	819000	2069000	214000	960	550	23
SL024860	300	380	80	2.1	819000	2069000	214000	960	550	22
SL014960	300	420	118	3	1629000	3699000	390000	910	445	53
SL024960	300	420	118	3	1629000	3699000	390000	910	445	51.9
SL185060-TB	300	460	218	4	3449000	6599000	650000	840	395	124
SL014864	320	400	80	2.1	849000	2219000	225000	900	495	24
SL024864	320	400	80	2.1	849000	2219000	225000	900	495	23.5
SL014964	320	440	118	3	1699000	4049000	415000	840	395	56
SL024964	320	440	118	3	1699000	4049000	415000	840	395	54.9
SL185064-TB	320	480	218	4	3549000	6899000	680000	810	375	128.4

SL014868	340	420	80	2.1	869000	2329000	233000	860	465	25.5
SL024868	340	420	80	2.1	869000	2329000	233000	860	465	25
SL014968	340	460	118	3	1749000	4249000	430000	810	375	59
SL024968	340	460	118	3	1749000	4249000	430000	810	375	57.8
SL185068-TB	340	520	243	5	4249000	8299000	800000	750	355	178
SL014872	360	440	80	2.1	899000	2479000	244000	810	430	27
SL024872	360	440	80	2.1	899000	2479000	244000	810	430	26
SL014972	360	480	118	3	1789000	4449000	445000	770	350	62.1
SL024972	360	480	118	3	1789000	4449000	445000	770	350	60.8
SL185072-TB	360	540	243	5	4399000	8699000	820000	720	320	178
SL014876	380	480	100	2.1	1319000	3499000	345000	750	375	45.5
SL024876	380	480	100	2.1	1319000	3499000	345000	750	375	44
SL014976	380	520	140	4	2249000	5499000	560000	720	325	92.4
SL024976	380	520	140	4	2249000	5499000	560000	720	325	90.5
SL185076-TB	380	560	243	5	4449000	8899000	850000	700	305	196.5
SL014880	400	500	100	2.1	1349000	3649000	355000	720	360	46.5
SL024880	400	500	100	2.1	1349000	3649000	355000	720	360	45.8
SL014980	400	540	140	4	2309000	5799000	580000	690	300	96.5
SL024980	400	540	140	4	2309000	5799000	580000	690	300	94.6
SL045008-PP	40	68	38	0.6	79000	110000	16000	2400	-	0.56
SL045009-PP	45	75	40	0.6	96000	138000	19900	2200	-	0.7
SL045010-PP	50	80	40	0.6	101000	150000	21700	2000	-	0.76
SL045011-PP	55	90	46	0.6	119000	185000	25500	1800	-	1.18
SL045012-PP	60	95	46	0.6	124000	200000	27500	1700	-	1.26
SL045013-PP	65	100	46	0.6	129000	214000	29500	1600	-	1.33
SL045014-PP	70	110	54	0.6	174000	274000	36000	1400	-	1.87
SL045015-PP	75	115	54	0.6	200000	314000	42000	1400	-	1.96
SL045016-PP	80	125	60	0.6	209000	339000	45000	1300	-	2.71
SL045017-PP	85	130	60	0.6	218000	364000	47500	1200	-	2.83
SL045018-PP	90	140	67	0.6	304000	509000	69000	1100	-	3.71
SL045019-PP	95	145	67	0.6	314000	529000	71000	1100	-	3.88
SL045020-PP	100	150	67	0.6	329000	549000	73000	1000	-	3.95
SL045022-PP	110	170	80	0.6	394000	679000	89000	900	-	6.57

SL045024-PP	120	180	80	0.6	409000	739000	94000	900	-	7.04
SL045026-PP	130	200	95	0.6	539000	959000	122000	800	-	10.5
SL04130-PP	130	190	80	0.6	429000	789000	99000	800	-	7.5
SL045028-PP	140	210	95	0.6	609000	1099000	139000	750	-	11.1
SL04140-PP	140	200	80	0.6	444000	839000	104000	750	-	8
SL045030-PP	150	225	100	0.6	709000	1259000	156000	700	-	13.3
SL04150-PP	150	210	80	0.6	464000	919000	111000	700	-	8.4
SL045032-PP	160	240	109	0.6	739000	1359000	165000	650	-	16.6
SL04160-PP	160	220	80	0.6	479000	969000	116000	700	-	8.8
SL045034-PP	170	260	122	0.6	959000	1749000	212000	600	-	22.6
SL04170-PP	170	230	80	0.6	489000	1029000	120000	650	-	9.3
SL045036-PP	180	280	136	0.6	1139000	2129000	255000	550	-	30.1
SL04180-PP	180	240	80	0.6	499000	1079000	125000	600	-	9.8
SL045038-PP	190	290	136	0.6	1159000	2209000	260000	550	-	31.5
SL04190-PP	190	260	80	0.6	519000	1159000	131000	550	-	12.7
SL045040-PP	200	310	150	0.6	1349000	2599000	300000	500	-	40.8
SL04200-PP	200	270	80	0.6	539000	1209000	136000	550	-	13.2
SL045044-PP	220	340	160	1	1569000	3049000	350000	480	-	52.5
SL04220-PP	220	300	95	1	699000	1549000	174000	480	-	19.5
SL045048-PP	240	360	160	1	1629000	3299000	370000	440	-	56
SL04240-PP	240	320	95	1	739000	1699000	186000	480	-	21
SL045052-PP	260	400	190	1.1	2379000	4699000	520000	400	-	84.5
SL04260-PP	260	340	95	1	839000	1989000	215000	440	-	22.5
SL045056-PP	280	420	190	1.1	2599000	5199000	570000	380	-	90
SL045060-PP	300	460	218	1.1	2999000	5799000	620000	340	-	126
SL04300-PP	300	380	95	1	899000	2249000	234000	380	-	25.5