

Designations		Dimensions			Basic load		Speed ratings rpm		Weight	Abutment and fillet dimensions mm		
Cylindrical Bore	Taper Bore	d	D	B	dyc Cr	stc Cor	Speed Ratings	Limiting Speed		da	Da	ra
					C	C ₀				min	max	max
		mm			KN		r/min		Kg	mm		
22206MB	22206MBK	30	62	20	51.7	55	6800	9100	0.294	36	56	1
22207MB	22207MBK	35	72	23	67	73.9	5900	7800	0.447	42	65	1
22208MB	22208MBK	40	80	23	76.9	85	5200	6900	0.536	47	73	1
22308MB	22308MBK	40	90	33	115	127	4000	5300	1.03	48	82	1.5
22209MB	22209MBK	45	85	23	80.5	91.9	4900	6500	0.597	52	78	1
22309MB	22309MBK	50	100	36	146	168	3600	4800	1.43	53	92	1.5
22210MB	22210MBK	50	90	23	83.1	97.8	4500	6000	0.641	57	83	1
22310MB	22310MBK	50	110	40	181	208	3200	4300	1.87	59	101	2
22211MB	22211MBK	55	100	25	102	119	4100	5400	0.849	63	92	1.5
22311MB	22311MBK	55	120	43	213	248	3000	3900	2.43	65	110	2
22212MB	22212MBK	60	110	28	127	154	3700	4900	1.2	69	102	1.5
22312MB	22312MBK	60	130	46	243	284	2700	3600	3.01	70	120	2
22213MB	22213MBK	65	120	31	151	188	3400	4600	1.61	74	111	1.5
22313MB	22313MBK	65	140	48	251	291	2500	3400	3.53	76	129	2
22214MB	22214MBK	70	125	31	155	193	3200	4300	1.68	79	116	1.5
22314MB	22314MBK	70	150	51	300	362	2400	3100	4.37	81	139	2
22215MB	22215MBK	75	130	31	161	204	3100	4100	1.77	84	121	1.5
22315MB	22315MBK	75	160	55	351	437	2200	2900	5.5	87	148	2
22216MB	22216MBK	80	140	33	174	225	2900	3800	2.2	90	130	2
22316MB	22316MBK	80	170	58	395	496	2100	2800	6.54	92	158	2
22217MB	22217MBK	85	150	36	216	277	2700	3600	2.73	95	140	2
22317MB	22317MBK	85	180	60	431	539	2000	2600	7.42	97	168	2.5
23218MB	23218MBK	90	160	52.4	316	453	1600	2200	4.64	101	149	2
22318MB	22318MBK	90	190	64	486	623	1900	2500	8.87	103	177	3
22219MB	22219MBK	95	170	43	273	359	2400	3200	4.32	106	159	2
22319MB	22319MBK	95	200	67	534	686	1800	2300	10.4	108	187	2.5
23120MB	23120MBK	100	165	52	326	490	1700	2200	4.39	111	154	2

22220MB	22220MBK	100	180	46	317	423	2200	3000	5. 1	112	168	2
23220MB	23220MBK	100	180	60. 3	405	589	1500	1900	6. 81	112	168	2
22320MB	22320MBK	100	215	73	613	799	1600	2200	13. 3	114	201	2. 5
23022MB	23022MBK	110	170	45	304	489	1900	2500	3. 79	120	160	2
23122MB	23122MBK	110	180	56	382	596	1500	2000	5. 72	121	169	2
22222MB	22222MBK	110	200	53	414	574	2000	2700	7. 69	123	187	2
22322MB	22322MBK	110	240	80	724	915	1500	2000	18. 3	125	225	2. 5
23222MB	23222MBK	110	200	69. 8	528	786	1300	1800	9. 79	123	187	2
23024MB	23024MBK	120	180	46	317	514	1700	2300	4. 1	131	169	2
23124MB	23124MBK	120	200	62	468	726	1400	1900	8. 01	132	188	2
22224MB	22224MBK	120	215	58	488	666	1900	2500	9. 06	133	202	2
23224MB	23224MBK	120	215	76	592	904	1200	1600	12. 1	133	202	2
22324MB	22324MBK	120	260	86	848	1130	1400	1800	23. 4	136	244	2. 5
23026MB	23026MBK	130	200	52	401	660	1600	2100	6. 02	142	188	2
23126MB	23126MBK	130	210	64	512	798	1300	1800	8. 75	142	198	2
22226MB	22226MBK	130	230	64	579	804	1800	2300	11. 2	144	216	2. 5
23226MB	23226MBK	130	230	80	670	1020	1100	1500	14. 3	144	216	2. 5
22326MB	22326MBK	130	280	93	978	1320	1300	1700	28. 5	147	263	3
23028MB	23028MBK	140	210	53	415	689	1500	2000	6. 43	152	198	2
23128MB	23128MBK	140	225	68	546	876	1200	1600	10. 7	153	212	2
22228MB	22228MBK	140	250	68	656	920	1600	2200	14. 3	155	235	2. 5
23228MB	23228MBK	140	250	88	818	1230	1000	1400	18. 9	155	235	2. 5
22328MB	22328MBK	140	300	102	1140	1550	1200	1600	35. 9	158	282	3
23030MB	23030MBK	150	225	56	467	789	1400	1900	7. 81	162	213	2
23130MB	23130MBK	150	250	80	716	1150	1100	1500	16. 2	164	236	2
22230MB	22230MBK	150	270	73	750	1060	1500	2000	18. 1	165	255	2. 5
23230MB	23230MBK	150	270	96	925	1450	980	1300	24. 3	165	255	2. 5
22330MB	22330MB	150	320	108	1270	1750	1100	1500	43. 7	168	302	3
23032MB	23032MBK	160	240	60	538	917	1300	1700	9. 56	173	227	2
23132MB	23132MBK	160	270	86	841	1370	1000	1400	20. 8	175	255	2
22232MB	22232MBK	160	290	80	879	1220	1400	1900	22. 8	176	274	2. 5
23232MB	23232MBK	160	290	104	1050	1670	910	1200	30. 6	176	274	2. 5
22332MB	22332MBK	160	340	114	1350	1860	1000	1400	51. 9	179	321	3

23034MB	23034MBK	170	260	67	652	1110	1200	1600	13	184	246	2
23134MB	23134MBK	170	280	88	887	1490	990	1300	22.2	185	265	2
22234MB	22234MBK	170	310	86	983	1380	1300	1800	29.2	187	293	3
23234MB	23234MBK	170	310	110	1230	1970	840	1100	37.4	187	293	3
22334MB	22334MBK	170	360	120	1500	2090	980	1300	61	190	340	3
23036MB	23036MBK	180	280	74	702	1170	1100	1500	17.3	195	265	2
23136MB	23136MBK	180	300	96	999	1650	930	1200	28	196	284	2.5
22236MB	22236MBK	180	320	86	1040	1490	1300	1700	30	197	303	3
23236MB	23236MBK	180	320	112	1270	2050	820	1100	39.5	197	303	3
22336MB	22336MBK	180	380	126	1640	2290	930	1200	71.4	201	359	3
23038MB	23038MBK	190	290	75	781	1360	1100	1400	18.2	205	275	2
23138MB	23138MBK	190	320	104	1170	1960	870	1200	34.9	207	303	2.5
22238MB	22238MBK	190	340	92	1150	1700	1200	1600	37.3	208	322	3
23238MB	23238MBK	190	340	120	1420	2340	760	1000	48	208	322	3
23040MB	23040MBK	200	310	82	867	1470	1000	1400	23.3	216	294	2
23140MB	23140MBK	200	340	112	1370	2310	830	1100	43.1	218	322	2.5
22240MB	22240MBK	200	360	98	1290	1910	1100	1500	43.2	219	341	3
23240MB	23240MBK	200	360	128	1580	2620	730	970	57.8	219	341	3
22340MB	22340MBK	200	420	138	1990	2800	840	1100	95.2	222	398	4
23044MB	23044MBK	220	340	90	1030	1790	930	1200	31	237	323	2.5
23144MB	23144MBK	220	370	120	1500	2570	760	1000	54.1	239	351	3
22244MB	22244MBK	220	400	108	1560	2260	1000	1400	59.5	240	380	3
23244MB	23244MBK	220	400	144	1960	3270	660	880	81.5	240	380	3
23048MB	23048MBK	240	360	92	1130	2080	870	1200	34.3	257	343	2.5
23148MB	23148MBK	240	400	128	1680	3060	700	930	66.3	259	381	3
22248MB	22248MBK	240	440	120	1970	2870	750	950	80.7	258	422	3