

New Bearing Number	Old Bearing Number	Dimension (mm)			Weight (kg)
		d	D	B	
NN3008	3282108	40	68	21	0.307
NN3009K	3182109	45	75	23	0.4
NN3009KTN1	-	45	75	23	0.4
NN3009K/W33	-	45	75	23	0.4
NN3009	3282109	45	75	23	0.404
NN3010K	3182110	50	80	23	0.415
NN3010KTN1	-	50	80	23	0.424
NN3011K/W33	-	55	90	26	0.618
NN3012K	3182112	60	95	26	0.668
NN3012KTN1	-	60	95	26	0.668
NN3012K/W33	-	60	95	26	0.668
NN3012K/C9	-	60	95	26	0.668
NN1013K	-	65	100	26	0.708
NN3013KTN1	-	65	100	26	0.708
NN3013K/W33	-	65	100	26	0.708
NN3014K	3182114	70	110	30	1.03
NN3014KTN1	-	70	110	30	1.03
NN3014K/W33	-	70	110	30	1.03
NN3015K	3182115	70	115	30	1.08
NN3015KTN1	-	75	115	30	1.08
NN3015K/W33	-	75	115	30	1.08
NN3016K	3182116	80	125	34	1.53
NN3016KTN1	-	80	125	34	1.53
NN3016K/W33	-	80	125	34	1
NN1016K/C9W33	-	80	125	34	1.5
NN3017K	3182117	85	130	34	1.63
NN3017KTN1	-	85	130	34	1.63
NN3017K/W33	-	85	130	34	1.63
NN3018K	3182118	90	140	24	2.12
NN3018KTN1	-	90	140	37	2.12
NN3018K/W33	-	90	140	37	2.12
NN3018K/C33	-	90	140	37	2.12

NN3019K	3182119	95	145	37	2.21
NN3019KTN1	-	95	145	37	2.21
NN3019K/W33	-	95	145	37	2.21
NN3020K	3182120	100	150	37	2.3
NN3020K/W33	-	100	150	37	2.3
NN3020K/C9	-	100	150	37	2.3
NN3021KTN1	-	105	160	41	2.95
NN3021K/W33	-	105	160	41	2.95
NN3021K/C9	-	105	160	41	2.95
NN3015KTN1	-	75	115	30	1.08
NN3015K/W33	-	75	115	30	1.08
NN3016K	3182116	80	125	34	1.53
NN3016KTN1	-	80	125	34	1.53
NN3016K/W33	-	80	125	34	1
NN1016K/C9W33	-	80	125	34	1.5
3182118	90	140	24	2.12	
NN3018KTN1	-	90	140	37	2.12
NN3018K/W33	-	90	140	37	2.12
NN3018K/C33	-	90	140	37	2.12
NN3019K	3182119	95	145	37	2.21
NN3019KTN1	-	95	145	37	2.21
NN3019K/W33	-	95	145	37	2.21
NN3020K	3182120	100	150	37	2.3
NN3020K/W33	-	100	150	37	2.3
NN3020K/C9	-	100	150	37	2.3
NN3021KTN1	-	105	160	41	2.95
NN3021K/W33	-	105	160	41	2.95
NN3021K/C9	-	105	160	41	2.95
NN3022K	3182122	110	170	45	3.74
NN3022KTN1	-	110	170	45	3.74
NN3022K/W33	-	110	170	45	3.74
NN3024M	-	120	180	46	3.86
NN3024KTN1	-	120	180	46	3.86
NN3024K/W33	-	120	180	46	3.86
NN3026K	3182126	130	200	52	5.36

NN3026KTN1	-	130	200	52	5.36
NN3026K/W33	-	130	200	52	5.76
NN3028K	3182128	140	210	53	6.43
NN3028KTN1	-	140	210	53	6.43
NN3030K	3182130	150	225	56	7.7
NN3030K/W33	-	150	225	56	7.7
NN3032K	3182132	160	240	60	8.93
NN3032K/W33	-	160	240	60	8.93
NN3034K	3182134	170	260	67	12.6
NN3034K/W33	-	170	260	67	12.6
NN3036K	3182136	180	280	74	15.6
NN3036K/W33	-	180	280	74	15.6
NN3038M	-	190	290	75	17.9
NN3038K/W33	-	190	290	75	17.9
NN3040K	3182140	200	310	82	22
NNU3040	-	200	310	82	23
NN3040K/W33	-	200	310	82	22
NN3044K	3182144	220	340	90	30
NN3044K/W33	-	220	340	90	30
NN3044	3282144	220	340	90	30
NN3048K	3182148	240	360	92	32.7
NN3048	3282148	240	360	92	32.7
NN3052K	3182152	260	400	104	47.1
NN3052	3282152	260	400	104	44.3
NN3056K	3182156	280	420	106	49.07
NN3056	3282156	280	420	65	49.87
NN3060K	3182160	300	460	118	69.6
3282168	340	520	133	104	
NN3072K	3182172	360	540	134	106
NN3072K/YA1	-	360	540	134	106
NN3072/YA1	-	360	540	134	106
NN3076K	3182176	380	560	135	110
NN3076K/PSYA1	-	380	560	135	110
NN3076	3282176	380	560	135	114
NN3080	3282180	400	600	148	147

NN3080/YA1	-	400	600	148	146
NN3092K	3182192	460	680	163	204
NN3092/YA	-	460	680	163	203
NN30/560K/P59	-	560	820	195	341
NN30/600K	31821/600	600	870	200	384
NN30/630K	31821/630	630	920	212	438
NN30/670K/P	-	670	980	230	597
NN30/670K/P59	D31821/670U	670	980	230	597
NNF618-1LSV/YA	-	90	190	110	40.1
NN2326X2	-	130	280	90	18.8
NNB4156X2	-	280	460	200	137
NN3176V	3682776	380	620	194	221
NN3188	-	440	720	226	374
NN6/560	2827/560	560	780	180	266